


TRACK LIGHT

Track Light V4 LC 20W 80CRI




VESTEL

LED LIGHTING


PRODUCT TECHNICAL INFORMATION

PRODUCT SPECIFICATION			
Colour Description	Warm White	Neutral White	
CCT	3000K	4000K	
Luminous Flux	2000 lm \pm 15%	2100 lm \pm 15%	
Rated Power	20W	20W	
CRI	\geq 80	\geq 80	
Efficacy	100 lm/W	105 lm/W	
Beam Angle	20° / 35° / 50°		
Unified Glare Ratio (UGR)	\leq 25 for 20° \leq 25 for 35° \leq 26 for 50°		
Dimming	N/A		
Emergency	N/A		
Flicker Free	Optional		
Rated Life Time	> 50,000 hours		
Operated Temperature	0°C ° – +40°C		
Humidity (Relative)	85%		
IP	–		
ELECTRICAL SPECIFICATION			
Number of Power Supplies	1 for 1 product		
Input Voltage (Vac)	220 ~ 240Vac		
Output Voltage (Vdc)	21 – 40V		
Output Current (Idc)	500mA \pm 5%		
Frequency (Hz)	50 ~ 60Hz		
Operating Mode	Constant Current		
Power Factor	PF > 0.80		
MECHANICAL SPECIFICATION			
Dimensions (LxWxH)	270*100*185mm		
Weight	1.07 kg		
Packaging Type	Outbox		
Package Dimensions (LxWxH)	330*150*200 mm		
Box			
Quantity in a Box	1		

PHOTOMETRIC SPECIFICATION



EXPLODED VIEW OF THE PRODUCT



CONTAINER INFORMATION				
20" FEET	40" FEET	40" FEET		
PALETTE DIMENSIONS				
LENGHT	WIDTH	HEIGHT	WEIGHT	PACKAGE ON THE PALETTE